

(FILE 'HOME' ENTERED AT 14:27:59 ON 17 NOV 2004)

FILE 'MEDLINE, HCPLUS' ENTERED AT 14:29:50 ON 17 NOV 2004

L1 3777 S GINKGO BILOBA
L2 4618 S BETA GLUCAN
L3 3 S L1 AND L2

* * * * * * * * * * * * * Welcome to STN International * * * * * * * * *

NEWS 1 Web Page URLs for STN Seminar Schedule - N. America
NEWS 2 "Ask CAS" for self-help around the clock
NEWS 3 JUL 12 BEILSTEIN enhanced with new display and select options,
resulting in a closer connection to BABS
NEWS 4 AUG 02 IFIPAT/IFIUDB/IFICDB reloaded with new search and display
fields
NEWS 5 AUG 02 CAplus and CA patent records enhanced with European and Japan
Patent Office Classifications
NEWS 6 AUG 02 The Analysis Edition of STN Express with Discover!
(Version 7.01 for Windows) now available
NEWS 7 AUG 27 BIOCOMMERCE: Changes and enhancements to content coverage
NEWS 8 AUG 27 BIOTECHABS/BIOTECHDS: Two new display fields added for legal
status data from INPADOC
NEWS 9 SEP 01 INPADOC: New family current-awareness alert (SDI) available
NEWS 10 SEP 01 New pricing for the Save Answers for SciFinder Wizard within
STN Express with Discover!
NEWS 11 SEP 01 New display format, HITSTR, available in WPIDS/WPINDEX/WPIX
NEWS 12 SEP 27 STANDARDS will no longer be available on STN
NEWS 13 SEP 27 SWETSCAN will no longer be available on STN
NEWS 14 OCT 28 KOREAPAT now available on STN

NEWS EXPRESS OCTOBER 29 CURRENT WINDOWS VERSION IS V7.01A, CURRENT
MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 11 AUGUST 2004
NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS INTER General Internet Information
NEWS LOGIN Welcome Banner and News Items
NEWS PHONE Direct Dial and Telecommunication Network Access to STN
NEWS WWW CAS World Wide Web Site (general information)

Enter NEWS followed by the item number or name to see news on that
specific topic.

All use of STN is subject to the provisions of the STN Customer
agreement. Please note that this agreement limits use to scientific
research. Use for software development or design or implementation
of commercial gateways or other similar uses is prohibited and may
result in loss of user privileges and other penalties.

* * * * * * * * * * * * * STN Columbus * * * * * * * * * * * * *

FILE 'HOME' ENTERED AT 14:27:59 ON 17 NOV 2004

=> s medline hacplus
THIS COMMAND NOT AVAILABLE IN THE CURRENT FILE
Some commands only work in certain files. For example, the EXPAND
command can only be used to look at the index in a file which has an
index. Enter "HELP COMMANDS" at an arrow prompt (=>) for a list of
commands which can be used in this file.

=> file medline hcaplus
COST IN U.S. DOLLARS SINCE FILE TOTAL
FULL ESTIMATED COST ENTRY SESSION
0.63 0.63

FILE 'MEDLINE' ENTERED AT 14:29:50 ON 17 NOV 2004

FILE 'HCAPLUS' ENTERED AT 14:29:50 ON 17 NOV 2004
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

=> s ginkgo biloba
L1 3777 GINKGO BILOBA

=> s beta glucan
L2 4618 BETA GLUCAN

=> s L1 and L2
L3 3 L1 AND L2

=> d 13 1-3 ibib abs

L3 ANSWER 1 OF 3 HCAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 2002:10211 HCAPLUS
DOCUMENT NUMBER: 136:69089
TITLE: Confectionery product containing active ingredients
INVENTOR(S): Bell, David Alan; Pickford, Emma
PATENT ASSIGNEE(S): Societe des Produits Nestle S.A., Switz.
SOURCE: PCT Int. Appl., 16 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|--|------|----------|-----------------|------------|
| WO 2002000033 | A1 | 20020103 | WO 2001-EP6363 | 20010606 |
| W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN,
CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR,
LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT,
RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US,
UZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM | | | | |
| RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY,
DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR, BF,
BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG | | | | |
| EP 1299005 | A1 | 20030409 | EP 2001-962709 | 20010606 |
| R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
IE, SI, LT, LV, FI, RO, MK, CY, AL, TR | | | | |
| SI 21017 | C | 20030430 | SI 2001-20035 | 20010606 |
| BR 2001012094 | A | 20030506 | BR 2001-12094 | 20010606 |
| JP 2004500003 | T2 | 20040108 | JP 2002-504827 | 20010606 |
| NO 2002006037 | A | 20030206 | NO 2002-6037 | 20021216 |
| US 2003138520 | A1 | 20030724 | US 2002-328913 | 20021220 |
| ZA 2003000791 | A | 20040219 | ZA 2003-791 | 20030129 |
| PRIORITY APPLN. INFO.: | | | GB 2000-16173 | A 20000630 |
| | | | WO 2001-EP6363 | W 20010606 |

AB A confectionery product, e.g. chocolate, contains one or more active ingredients characterized in that the active ingredients are incorporated in a plurality of carrier bodies dispersed within the body of the confectionery product.

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L3 ANSWER 2 OF 3 HCAPLUS COPYRIGHT 2004 ACS on STN
ACCESSION NUMBER: 1998:268327 HCAPLUS
DOCUMENT NUMBER: 128:326335
TITLE: Hypoallergenic compositions and compositions for treatment of sensitive skin
INVENTOR(S): Castelli, Dominique; Ries, Gerd; Friteau, Laurence;
Bousigniere, Elisabeth; Fredon, Laurent
PATENT ASSIGNEE(S): ROC, Fr.; Castelli, Dominique; Ries, Gerd; Friteau, Laurence; Bousigniere, Elisabeth; Fredon, Laurent
SOURCE: PCT Int. Appl., 38 pp.

DOCUMENT TYPE: CODEN: PIXXD2
 LANGUAGE: Patent
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|---|------|----------|-----------------|----------|
| WO 9817246 | A1 | 19980430 | WO 1997-IB1318 | 19971021 |
| W: AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE,
DK, EE, ES, FI, GB, GE, GH, HU, ID, IL, IS, JP, KE, KG, KP, KR,
KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ,
PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG,
US, UZ, VN, YU, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM | | | | |
| RW: GH, KE, LS, MW, SD, SZ, UG, ZW, AT, BE, CH, DE, DK, ES, FI, FR,
GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA,
GN, ML, MR, NE, SN, TD, TG | | | | |
| FR 2754713 | A1 | 19980424 | FR 1996-12821 | 19961022 |
| FR 2754713 | B1 | 19990108 | | |
| CA 2269594 | AA | 19980430 | CA 1997-2269594 | 19971021 |
| AU 9744703 | A1 | 19980515 | AU 1997-44703 | 19971021 |
| BR 9712648 | A | 19991026 | BR 1997-12648 | 19971021 |
| EP 955995 | A1 | 19991117 | EP 1997-943120 | 19971021 |
| R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
IE, FI | | | | |
| JP 2001502685 | T2 | 20010227 | JP 1998-519166 | 19971021 |
| US 6352698 | B1 | 20020305 | US 1999-293111 | 19990416 |
| KR 2000052655 | A | 20000825 | KR 1999-703431 | 19990420 |

PRIORITY APPLN. INFO.:

AB A synergistic combination of ≥ 2 of (a) an anti-radical agent, (b) an anti-inflammatory agent, and (c) an anti-allergy agent is used for preparation of a composition for treatment of sensitive skin and/or skin allergy.

The anti-radical agent is a radical scavenger, inhibitor of lipid peroxidn., or stimulant of endogenous production of radical-degrading enzymes. The anti-inflammatory agent is a prostaglandin antagonist (cyclooxygenase inhibitor) or an inhibitor of production of cytokines, leukotrienes, or reactive nitro compds. The anti-allergy agent is an inhibitor of lymphocyte proliferation, of histocompatibility antigen receptor internalization, or of cytokine production. The combination inhibits the synthesis and/or expression of neuromediators such as neurokinins A and B, vasoactive intestinal polypeptide, neuropeptide Y, neurotensin, and NGF. Thus, dried *Ginkgo biloba* leaves were extracted to remove chlorophyll, lipids, waxes, lectins, etc. A combination of the Ginkgo extraction residue (5 mg/mL) and carboxymethyl-.beta.-glucan (5 mg/mL) synergistically inhibited NO₂- formation, TNF formation, and CD23 expression in cultured human keratinocytes after stimulation with a combination of IFN- γ and *Escherichia coli* lipopolysaccharide. Similar results were obtained after stimulation of the cells with IL-4 and IgE-containing immune complexes. A suitable composition contained tretinoin

0.05,

.beta.-glucan 0.50, *G. biloba* extract 0.10, light liquid paraffin 25.00, 70% sorbitol solution 5.00, hydroxyoctacosanyl hydroxystearate 5.00, methoxy-Macrogol 22/dodecyl glycol copolymer 5.00, Macrogol 45/dodecyl glycol copolymer 3.00, stearoxytrimethylsilane + stearyl alc. 1.00, dimethicone 1.00, fragrance 0.25, Me p-hydroxybenzoate 0.20, Na edetate 0.10, Quaternium 15 0.10, BHT 0.10, citric acid monohydrate 0.10, and H₂O 53.495 g.

REFERENCE COUNT: 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

DOCUMENT NUMBER: 125:338732
TITLE: Novel cosmetic or dermatological compositions
INVENTOR(S): Heusele, Catherine; Le Blay, Jacques
PATENT ASSIGNEE(S): Fr.
SOURCE: PCT Int. Appl., 25 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

| PATENT NO. | KIND | DATE | APPLICATION NO. | DATE |
|---|------|----------|--|--------------------------------------|
| WO 9628008 | A2 | 19960919 | WO 1996-FR811 | 19960530 |
| WO 9628008 | A3 | 19970313 | | |
| W: AL, AM, AT, AU, AZ, BB, BG, BR, BY, CA, CH, CN, CZ, DE, DK, EE,
ES, FI, GB, GE, HU, IS, JP, KE, KG | | | | |
| RW: KE, LS, MW, SD, AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT,
LU, MC, NL, PT, SE, BF, BJ, CF, CG | | | | |
| FR 2746316 | A1 | 19970926 | FR 1996-3402 | 19960319 |
| FR 2746316 | B1 | 19980612 | | |
| AU 9662277 | A1 | 19961002 | AU 1996-62277
FR 1996-3402
WO 1996-FR811 | 19960530
A 19960319
W 19960530 |

PRIORITY APPLN. INFO.:

AB Novel compns. for controlling skin ageing and/or increasing skin elasticity and for cosmetic or dermatol. uses are disclosed. The compns. include 2 active principles of which one affects the formation of Amadori products, while the other inhibits elastase activity. Thus, a cosmetic composition was prepared in 4 phases. The 1st phase composition contained mixture of

oil esters 34.9, nonionic surfactant 1, stearic acid 3.1, γ -orizanol, silicone oil 0.8, vitamin E esters 1.2, and antioxidants 0.01%. The 2nd phase composition was prepared from glycol 2.5, anionic surfactant 0.15, Carbomer 0.6, water 38.065, triethanolamine 2.6, and lactic acid 0.55%. The 3rd phase composition consisted of sodium hyaluronate 0.125, plant exts. 1, Equisetum extract 0.6 and water 10%. The 4th phase composition contained a purified extract containing soy proteins 1, vitamin A palmitate 0.15, perfume 0.5, and preservatives 0.65%. The effect of the composition on the skin aging and elasticity was demonstrated.